

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

ITW


Applicant(s): Terence W. Barrett

Application No.: 10/765,990

Filed: 1/29/2004

Title: METHOD AND SYSTEM OF ORTHOGONAL
SIGNAL SPECTRUM OVERLAY (OSSO) FOR
COMMUNICATIONS

Attorney Docket No.: 3381-Z



Art Unit: 2661

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

This is in response to a Notice to File Corrected Application Papers. Enclosed is a copy of said Notice and the following documents to complete the filing requirements of the above-identified application.

(X) Fifteen (15) replacement drawing sheets.

At any time during the pendency of this application, the Commissioner is hereby authorized to charge any fees required or credit any overpayment to Deposit Account No. 26-0090.

Respectfully submitted,

By Jim Zegeer
Jim Zegeer

Reg. No. 18,957

Date: August 12, 2004

Telephone No.: (703) 684-8333



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/765,990	01/29/2004	Terence W. Barrett	3381-Z

Law Office of Jim Zegeer
Suite 108
801 North Pitt Street
Alexandria, VA 22314



CONFIRMATION NO. 2861

FORMALITIES LETTER



OC000000012937817

Date Mailed: 06/14/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings contain excessive text. Suitable descriptive legends may be used, or may be required by the Examiner where necessary for understanding of the drawing but should contain as few words as possible (see 37 CFR 1.84(o)). See Figure(s) 2,3,8a,8b,11a,11b.

Replies should be mailed to: Mail Stop Missing Parts
Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE